ELSEVIER

Neuroscience Letters 306 (2001) 213–215

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 306

Volume 306, nos. 1–2

Guidelines for the submission of manuscripts v

Predominant functional activity of the large, neutral amino acid transporter (LAT1) isoform at the cerebrovasculature
D.M. Killian, P.J. Chikhale (USA) 1

Levetiracetam inhibits the high-voltage-activated Ca^{2+} current in pyramidal neurones of rat hippocampal slices
I. Niespodziany, H. Klitgaard, D.G. Margineanu (Belgium) 5

Allopurinol suppresses para-nonylphenol and 1-methyl-4-phenylpyridinium ion (MPP^+)-induced hydroxyl radical generation in rat striatum
T. Obata, S. Kubota, Y. Yamanaka (Japan) 9

Effect of finasteride on behavioural arousal and somatosensory evoked potentials in fetal sheep
M.B. Nicol, J.J. Hirst, D.W. Walker (Australia) 13

Tiagabine treatment and DNA damage in rat astrocytes: an in vitro study by comet assay
V. Cardile, M. Palumbo, M. Renis, A. Pavone, T. Maci, V. Perciavalle (Italy) 17

Differential regulation of striatal G protein levels following 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine administration in C57 BL/6 mice
E.R. Marcotte, A. Chugh, C. Barlas, R.K. Mishra (Canada) 21

Characterization of novel benzodiazepine ligands in *Spodotera frugiperda* (Sf-9) insect cells
J. Lameh, A. Keohane, D.J. Clark, G.H. Loew (USA) 25

Increased variability of paced finger tapping accuracy following repetitive magnetic stimulation of the cerebellum in humans
H. Théoret, J. Haque, A. Pascual-Leone (USA) 29

Elevation of prefrontal acetylcholine is related to the extinction of learned behavior in rats
Y. Izaki, K. Hori, M. Nomura (Japan) 33

Involvement of cyclin dependent kinase5 activator p25 on tau phosphorylation in mouse brain
A. Takashima, M. Murayama, K. Yasutake, H. Takahashi, M. Yokoyama, K. Ishiguro (Japan) 37

Mutant mice lacking the cholecystokinin$_2$ receptor show a dopamine-dependent hyperactivity and a behavioral sensitization to morphine
V. Daugé, F. Beslot, T. Matsui, B.P. Roques (France, Japan) 41

Spontaneously active GABAergic interneurons in the subfornical organ of rat slice preparations
E. Honda, S.-H. Xu, K. Ono, K. Ito, K. Inenaga (Japan) 45

Sequence, protein expression and extracellular-regulated kinase association of the hyaladherin RHAMM (receptor for hyaluronan mediated motility) in PC12 cells
B.D. Lynn, X. Li, P.A. Cattini, J.I. Nagy (Canada) 49

Huperzine A and donepezil protect rat pheochromocytoma cells against oxygen–glucose deprivation
J. Zhou, Y. Fu, X.C. Tang (People's Republic of China) 53

Transplantation of adult rat hippocampus-derived neural stem cells into retina injured by transient ischemia
Y. Kurimoto, H. Shibuki, Y. Kaneko, M. Ichikawa, T. Kurokawa, M. Takahashi, N. Yoshimura (Japan) 57

The cerebrovascular response to elevated potassium – role of nitric oxide in the in vitro model of isolated rat middle cerebral arteries
S. Schuh-Hofer, E. Lobsien, R. Brodowsky, J. Vogt, J.P. Dreier, R. Klee, U. Dirnagl, U. Lindauer (Germany) 61

Sleep and memory deficits in the rat produced by experimental infection with *Trypanosoma cruzi*
G. Arankowsky-Sandoval, M. Mut-Martín, F. Solís-Rodríguez, J.L. Góngora-Alfaro, M. Barrera-Pérez (Mexico) 65

Distinct effect of orphanin FQ in nucleus raphe magnus and nucleus reticularis gigantocellularis on the rat tail flick reflex
Z.-L. Yang, Y.-Q. Zhang, G.-C. Wu (China) 69

Humans adapt the initial posture in learning a whole-body kicking movement
J. Reifel Saltzberg, J.M. Hondzinski, M. Flanders (USA) 73

Schwann cell apoptosis in experimental autoimmune neuritis of the Lewis rat and the functional role of tumor necrosis factor-α
A. Weishaupt, W. Brück, T. Hartung, K.V. Toyka, R. Gold (Germany) 77

The *N*-methyl-D-aspartate receptor channel blockers memantine, MRZ 2/579 and other amino-alkyl-cyclohexanes antagonise 5-HT_3 receptor currents in cultured HEK-293 and N1E-115 cell systems in a non-competitive manner
G. Rammes, R. Rupprecht, U. Ferrari, W. Zieglgänsberger, C.G. Parsons (Germany) 81

Cleaved caspase-3, caspase-7 and poly (ADP-ribose) polymerase are complementarily but differentially expressed in human medulloblastomas
B. Puig, A. Tortosa, I. Ferrer (Spain) 85

SHIRPA, a protocol for behavioral assessment: validation for longitudinal study of neurological dysfunction in mice
D.C. Rogers, J. Peters, J.E. Martin, S. Ball, S.J. Nicholson, A.S. Witherden, M. Hafezparast, J. Latcham, T.L. Robinson, C.A. Quilter, E.M.C. Fisher (UK) 89

Acute and chronic haloperidol treatments increase parkin mRNA levels in the rat brain
T. Nakahara, L. Gotoh, K. Motomura, N. Kawanami, E. Ohta, M. Hirano, H. Uchimura (Japan) 93

Vigor of visceromotor responses to urinary bladder distension in rats increases with repeated trials and stimulus intensity
P. Castroman, T.J. Ness (USA) 97

A metabotropic glutamate receptor antagonist, α-methyl-4-carboxyphenylglycine, attenuates immediate early gene mRNA expression following traumatic injury in cultured rat cortical glial cells
H. Katano, K, Fujita, T. Kato, K. Asai, Y. Kawamura, A. Masago, K. Yamada (Japan) 101

Temporal dynamics of the partial pressure of brain tissue oxygen during functional forepaw stimulation in rats
B.M. Ances, D.G. Buerk, J.H. Greenberg, J.A. Detre (USA) 106

Producing the vowel/a/ prior to speaking inhibits stuttering in adults in the English language
V.N. Dayalu, T. Saltuklaroglu, J. Kalinowski, A. Stuart, M.P. Rastatter (USA) 111

Intraneuronal Aβ accumulation precedes plaque formation in β-amyloid precursor protein and presenilin-1 double-transgenic mice
O. Wirths, G. Multhaup, C. Czech, V. Blanchard, S. Moussaoui, G. Tremp, L. Pradier, K. Beyreuther, T.A. Bayer (Germany, France) 116

Identification of differentially expressed genes in the denervated rat hippocampus by cDNA arrays
G.-X. Ying, C. Huang, N.-H. Jing, C.-F. Zhou (P.R. China) 121

The role of preoptic area and anterior hypothalamus and median raphe nucleus on thermoregulatory system in freely moving rats
T. Ishiwata, H. Hasegawa, M. Yasumatsu, F. Akano, T. Yazawa, M. Otokawa, Y. Aihara (Japan) 126

Allele ε4 of apolipoprotein E gene is less frequent in Down syndrome patient of the Sicilian population and has no influence on the grade of mental retardation
G. Anello, J.-L. Guéant, C. Romano, C. Barone, R. Pettinato, T. Pillot, R.-M. Rodriguez, A. Romano, P. Bosco (Italy, France) 129

Reduced gating of middle-latency auditory evoked potentials (P50) in migraine patients: another indication of abnormal sensory processing?
A. Ambrosini, V. De Pasqua, J. Áfra, P.S. Sandor, J. Schoenen (Italy, Belgium, Hungary, Switzerland) 132

Volume 306, no. 3

Abnormal patterns of microtubule-associated protein-2 (MAP-2) immunolabeling in neuronal nuclei and Lewy bodies in Parkinson's disease substantia nigra brain tissues
M.R. D'Andrea, S. Ilyin, C.R. Plata-Salaman (USA) 137

Co-distribution of Fos- and *mu* opioid receptor immunoreactivity within the rat septopreoptic area and hypothalamus during acute glucose deprivation: effects of the *mu* receptor antagonist CTOP
K.P. Briski, P.W. Sylvester (USA) 141

Decreased expression of the NADH:ubiquinone oxidoreductase (complex I) subunit 4 in 1-methyl-4-phenylpyridinium -treated human neuroblastoma SH-SY5Y cells
K.J. Conn, M.D. Ullman, P.B. Eisenhauer, R.E. Fine, J.M. Wells (USA) 145

The role of *N*-methyl-D-aspartate receptors in synaptic plasticity of rat visual cortex in vitro: effect of sensory experience
Y. Fathollahi, M. Salami (Iran) 149

Increased expression of the transcription factor E2F1 during dopamine-evoked, caspase-3-mediated apoptosis in rat cortical neurons
S.T. Hou, E. Cowan, S. Dostanic, I. Rasquinha, T. Comas, P. Morley, J.P. MacManus (Canada) 153

Temporal change of hippocampal enkephalin and dynorphin mRNA following trimethyltin intoxication in rats: effect of anticonvulsant
N. Ishikura, K. Tsunashima, K.-i. Watanabe, T. Nishimura, Y. Shirayama, N. Kato (Japan) 157

Short-term administration of fluoxetine and venlafaxine decreases corticosteroid receptor mRNA expression in the rat hippocampus
J.L.W. Yau, J. Noble, C. Hibberd, J.R. Seckl (UK) 161

In vitro expression and regulation of ciliary neurotrophic factor and its α receptor subunit in neonatal rat olfactory ensheathing cells
K. Wewetzer, C. Grothe, P. Claus (Germany) 165

Idebenone in patients with Friedreich ataxia
L. Schöls, M. Vorgerd, M. Schillings, G. Skipka, J. Zange (Germany) 169

Two mutations in the IV/S4-S5 segment of the human skeletal muscle Na^+ channel disrupt fast and enhance slow inactivation
A.K. Alekov, W. Peter, N. Mitrovic, F. Lehmann-Horn, H. Lerche (Germany) 173

Differential effects of cocaine on local cerebral glucose utilization in the mouse and in the rat
A. Zocchi, G. Conti, F. Orzi (Italy) 177

Disruption of actin filaments causes redistribution of ryanodine receptor Ca^{2+} channels in honeybee photoreceptor cells
O. Baumann (Germany) 181

Vaginal hyperalgesia in a rat model of endometriosis
K.J. Berkley, A. Cason, H. Jacobs, H. Bradshaw, E. Wood (USA) 185
Compensatory visual field training for patients with hemianopia after stroke
G. Nelles, J. Esser, A. Eckstein, A. Tiede, H. Gerhard, H.C. Diener (Germany) 189
Are the estrogen receptors involved in Alzheimer's disease?
J.-C. Lambert, J.M. Harris, D. Mann, H. Lemmon, J. Coates, A. Cumming, D. St-Clair, C. Lendon (UK) 193
Bax, Bcl-2, and cyclin expression and apoptosis in rat substantia nigra during development
L. Groc, L. Bezin, H. Jiang, T.S. Jackson, R.A. Levine (USA, France) 198
Presenilin mutations line up along transmembrane α-helices
J. Hardy, R. Crook (USA) 203
Increased hydroxyl radicals in the hippocampus of stroke-prone spontaneously hypertensive rats during transient ischemia and recirculation
H. Negishi, K. Ikeda, Y. Nara, Y. Yamori (Japan) 206

Author Index to Volume 306 209
Contents to Volume 306 213